

# Safety Data Sheet

ISSUE DATE: September 2013

REVISION DATE: August 2022

VERSION: 1

## 1. IDENTIFICATION

### PRODUCT IDENTIFIER

PRODUCT NAME G-FORCE CLEAR 30

### OTHER MEANS OF IDENTIFICATION

PRODUCT ID A16

Recommended Uses Glass cleaner

### SDS-SUPPLIER INFORMATION

SUPPLIER ADDRESS Beshet Supply  
3600 West Jarvis Avenue  
Skokie, IL 60076

### EMERGENCY TELEPHONE NUMBER

COMPANY PHONE NUMBER (847) 679-2600  
COMPANY FAX NUMBER  
24-HOUR EMERGENCY TELEPHONE (ACCOUNT #8686)  
NORTH AMERICA 1-800-633-8253  
INTERNATIONAL PERS 1-801-629-0667

## 2. HAZARDS IDENTIFICATION

### CLASSIFICATION

Eye irritation Category 2B

SIGNAL WORD Warning

### HAZARD STATEMENTS

HAZARD STATEMENTS 1. Causes mild eye irritation

APPEARANCE Blue liquid PHYSICAL STATE Liquid

### PRECAUTIONARY STATEMENTS

PREVENTION Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Use personal protective equipment as required  
Wash face, hands and any exposed skin thoroughly after handling

RESPONSE Immediately call poison center or doctor/ physician.

IF SWALLOWED Call POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. Do NOT induce vomiting.

IF IN EYES Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention.

# Safety Data Sheet

<b>IF ON SKIN/HAIR</b>	Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse.
<b>IF INHALED</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a poison center or doctor/physician if you feel unwell.
<b>IF EXPOSED/CONCERNED</b>	Get medical advice/ attention.
<b>STORAGE</b>	Store locked-up. Keep away from children.
<b>DISPOSAL</b>	Dispose of contents/container to an approved waste disposal plant.
<b>HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)</b>	N/A
<b>OTHER INFORMATION</b>	N/A
<b>UNKNOWN ACUTE TOXICITY</b>	N/A.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NUMBER	WEIGHT - %
Isopropanol	67-63-0	0-4
Ethylene glycol butyl ether	111-76.2	0-2
Water	7732-18-5	90-98
Dye	N/A	<0.1

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

### DESCRIPTION OF FIRST AID MEASURES

<b>GENERAL ADVICE</b>	Provide this SDS to medical personnel for treatment.
<b>EYE CONTACT</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
<b>SKIN CONTACT</b>	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
<b>INHALATION</b>	Remove person to fresh air and keep at rest in a position comfortable for breathing. Immediately call poison center or doctor/ physician.
<b>INGESTION</b>	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink 1-2 glasses of water. Immediate medical attention is required.

# Safety Data Sheet

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## POTENTIAL ACUTE HEALTH EFFECTS

*Most important symptoms and effects, both acute and delayed*

**SYMPTOMS** Causes skin irritation. Causes eye irritation.

**NOTES TO PHYSICIAN** Treat symptomatically

## 5. FIRE-FIGHTING MEASURES

**SUITABLE EXTINGUISHING MEDIA** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**UNSUITABLE EXTINGUISHING MEDIA** None known

**SPECIFIC HAZARDS ARISING FROM CHEMICAL** Not determined

## PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/ NIOSH (approved and equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

**PERSONAL PRECAUTIONS** Use personal protective equipment as required.  
**ENVIRONMENTAL PRECAUTIONS** See Section 12 for additional Ecological Information.

### METHODS AND MATERIALS FOR CONTAMINATION AND CLEAN-UP

**CONTAMINATION** Prevent further leakage or spillage is safe to do so  
**CLEAN-UP** Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

### PRECAUTIONS FOR SAFE HANDLING

**PROTECTIVE MEASURES** Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Do not breathe dust/fume/gas/mist/vapor/spray. Do not eat, drink, or smoke when using this product. Use personal protection recommended in Section 8.

### CONDITIONS FOR SAFE STORAGE (INCLUDING ANY INCOMPATIBILITIES)

**STORAGE CONDITIONS** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

**INCOMPATIBLE MATERIALS** None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### EXPOSURE GUIDELINES

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropanol <b>67-63-0</b>	TWA: 200 ppm TWA: 480mg/m <sup>3</sup> STEL: 400 ppm STEL: 960 mg/m <sup>3</sup>	TWA: 400 ppm TWA: 980mg/m <sup>3</sup>	-
Ethylene glycol butyl ether <b>111-76-2</b>	TWA: 20 ppm TWA: 97mg/m <sup>3</sup>	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup>	-

**ENGINEERING CONTROLS:** Apply technical measures to comply with the occupational exposure limits.

### INDIVIDUAL PROTECTION MEASURES

<b>EYE/FACE PROTECTION</b>	Refer to 29 CFR 1910.133 for eye and face protection regulations.
<b>SKIN/BODY PROTECTION</b>	Refer to 29 CFR 1910.138 for appropriate skin and body protection.
<b>RESPIRATORY PROTECTION</b>	Refer to 29 CFR 1910.134 for respiratory protection requirements.
<b>GENERAL HYGIENE</b>	Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>PHYSICAL STATE</b>	Liquid
<b>APPEARANCE</b>	Blue liquid
<b>COLOR</b>	Blue
<b>ODOR</b>	Characteristic
<b>ODOR THRESHOLD</b>	Not determined
<b>pH</b>	10.0 – 11.0
<b>MELTING POINT/FREEZING POINT</b>	32°F; 0°C
<b>BOILING POINT/BOILING RANGE</b>	212°F; 100°C
<b>FLASH POINT</b>	>100°C (212°F)
<b>PERCENT VOLATILE</b>	>98
<b>EVAPORATION RATE</b>	(Water =1) 1.0
<b>FLAMMABILITY (SOLID, GAS)</b>	Not determined
<b>UPPER FLAMMABILITY LIMITS</b>	Not determined
<b>LOWER FLAMMABILITY LIMITS</b>	Not determined
<b>VAPOR PRESSURE</b>	~ 20 mm Hg at (68°F)
<b>VAPOR DENSITY</b>	>2 Air = 1
<b>SPECIFIC GRAVITY</b>	0.99
<b>RELATIVE DENSITY</b>	8.26 at (68°F)
<b>WATER SOLUBILITY</b>	Complete
<b>PARTITION COEFFICIENT</b>	Not determined
<b>N-OCTANOL/ WATER</b>	Not determined
<b>AUTO-IGNITION TEMPERATURE</b>	Not determined
<b>DECOMPOSITION TEMPERATURE</b>	Not determined
<b>VISCOSITY</b>	Water thin

# Safety Data Sheet

(VOC) 4.00% by weight

## 10. STABILITY AND REACTIVITY

<b>REACTIVITY</b>	Not reactive under normal conditions
<b>CHEMICAL STABILITY</b>	Stable under recommended storage conditions
<b>POSSIBILITY OF HAZARDOUS REACTIONS</b>	None under normal processing
<b>CONDITIONS TO AVOID</b>	Keep out of reach of children. Strong oxidizing materials.
<b>INCOMPATIBLE MATERIALS</b>	Strong oxidizers
<b>HAZARDOUS DECOMPOSITION PRODUCTS</b>	None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

*Information on likely routes of exposure.*

<b>EYE CONTACT</b>	Causes severe eye damage.
<b>SKIN CONTACT</b>	Avoid contact with skin.
<b>INHALATION</b>	Avoid breathing vapors or mists.
<b>INGESTION</b>	May be harmful if swallowed.

### COMPONENT INFORMATION

CHEMICAL NAME	ORAL LD50	DERMAL LD50	INHALATION LC50
Isopropanol 67-63-0	= 5045 mg/kg (rat)	= 12800 mg/kg (rabbit)	16000 ppm
Ethylene glycol butyl ether 111-76-2	= 1300 mg/kg (rat)	> 2000 mg/kg (rabbit)	> 3.1 mg/l

**SYMPTOMS** Please see section 4 of this SDS for symptoms.

**CARCINOGENICITY** The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested. Isopropyl Alcohol (IPA) is an IARC Monograph Group 3 chemical. IPA is a Group 1 when manufactured by the strong-acid process.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene glycol butyl ether 111-76-2		Group 3		

**NUMERICAL MEASURES OF TOXICITY-PRODUCT** Not determined.

## 12. ECOLOGICAL INFORMATION

# Safety Data Sheet

**ECOTOXICITY** No known significant effects or critical hazards.

**PERSISTENCE AND DEGRADABILITY** Not determined

**BIOACCUMULATION** Not determined

**OTHER ADVERSE EFFECTS** Not determined

## 13. DISPOSAL CONSIDERATIONS

### WASTE TREATMENT METHODS

**WASTE DISPOSAL** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**CONTAMINATED PACKAGING** Disposal should be in accordance with applicable regional, national and local laws and regulations.

## 14. TRANSPORT INFORMATION

### DOT

Not regulated

### IATA

Not regulated

### IMDG

Not regulated

## 15. REGULATORY INFORMATION

### INTERNATIONAL INVENTORIES

#### LEGEND

**TSCA** United States Toxic Substances Control Act Section 8(B) Inventory

## U.S. FEDERAL REGULATIONS

### CERCLA

This material, as supplied, does not contain one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

### SARA 313/312 HAZARD CATEGORIES

# Safety Data Sheet

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

## CLEAN WATER ACT (CWA)

This product does not contain substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## U.S. STATE REGULATIONS

### U.S. STATE RIGHT-TO-KNOW REGULATIONS

CHEMICAL NAME	NEW JERSEY	MASSACHUSETTS	PENNSYLVANIA
Isopropanol 67-63-0	X	X	X
Ethylene glycol butyl ether 111-76-2	X	X	X

## 16. OTHER INFORMATION

NFPA	HEALTH HAZARDS	FLAMMABILITY	INSTABILITY	SPECIAL HAZARDS
	1	0	0	Not determined
HMIS	HEALTH HAZARDS	FLAMMABILITY	PHYSICAL HAZARDS	PERSONAL PROTECTION
	1	0	0	A

## DISCLAIMER

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**END OF SAFETY DATA SHEET**