ISSUE DATE: July 2022

REVISION DATE: July 2022

VERSION: 1

1. IDENTIFICATION

PRODUCT IDENTIFIER PRODUCT NAME G-FORCE SHIMMER 32

OTHER MEANS OF IDENTIFICATION SDS Number

Recommended Uses All Purpose Cleaner

SDS-SUPPLIER INFORMATION

SUPPLIER ADDRESS Beshet Supply 3600 West Jarvis Avenue Skokie, IL 60076

EMERGENCY TELEPHONE NUMBER COMPANY PHONE NUMBER COMPANY FAX NUMBER 24-HOUR EMERGENCY TELEPHONE (ACCOUNT #8686) NORTH AMERICA INTERNATIONAL PERS 1-801-629-0667

2. HAZARDS IDENTIFICATION

CLASSIFICATION

Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 1

SIGNAL WORD Danger

HAZARD STATEMENTS



HAZARD STATEMENTS

Causes skin irritation
Causes serious eye damage

APPEARANCE Liquid PHYSICAL STATE Liquid

Page **1** / **8**

PRECAUTIONARY STATEMENTS

	PRECAUTIONARY STATEMENTS
PREVENTION	Obtain special instructions before use Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection
RESPONSE	Immediately call poison center or doctor/ physician.
IF SWALLOWED	Call POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. Do NOT induce vomiting.
IF IN EYES	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention.
IF ON SKIN/HAIR	Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse.
IF INHALED	Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a poison center or doctor/physician if you feel unwell.
IF EXPOSED/CONCERNED	Get medical advice/ attention.
STORAGE	Store locked-up. Keep away from children.
DISPOSAL	Dispose of contents/container to an approved waste disposal plant.
HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)	N/A
OTHER INFORMATION	Harmful to aquatic life with long lasting effects.
UNKNOWN ACUTE TOXICITY	N/A

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NUMBER	WEIGHT - %
Potassium hydroxide	1310-58-3	<2
Sodium metasilicate pentahydrate	10213-79-3	<2
Tetrapotassium pyrophosphate	7320-34-5	<2

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

- **GENERAL ADVICE** Provide this SDS to medical personnel for treatment.
 - **EYE CONTACT** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
 - **SKIN CONTACT** IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
 - **INHALATION** Remove person to fresh air and keep at rest in a position comfortable for breathing. Immediately call poison center or doctor/ physician.
 - **INGESTION** Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink 1-2 glasses of water. Immediate medical attention is required.

POTENTIAL ACUTE HEALTH EFFECTS

Most important symptoms and effects, both acute and delayed

- SYMPTOMS Not determined
- **NOTES TO PHYSICIAN** Treat symptomatically

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

UNSUITABLE EXTINGUISHING MEDIA None known

SPECIFIC HAZARDS ARISING FROM CHEMICAL Not determined

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/ NIOSH (approved and equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

PERSONAL PRECAUTIONS Use personal protective equipment as required. **ENVIRONMENTAL PRECAUTIONS** See Section 12 for additional Ecological Information.

METHODS AND MATERIALS FOR CONTAMINATION AND CLEAN-UP

CONTAMINATION Prevent further leakage or spillage is safe to do so **CLEAN-UP** Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

PROTECTIVE MEASURES Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Do not breathe dust/fume/gas/mist/vapor/ spray. Do not eat, drink, or smoke when using this product. Use personal protection recommended in Section 8.

CONDITIONS FOR SAFE STORAGE (INCLUDING ANY INCOMPATIBILITIES)

STORAGE CONDITIONS Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

INCOMPATIBLE MATERIALS None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m3	(vacated) Ceiling: 2 mg/m3	Ceiling: 2 mg/m3
Sodium metasilicate pentahydrate 10213-79-3	-	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	-

ENGINEERING CONTROLS: Apply technical measures to comply with the occupational exposure limits.

INDIVIDUAL PROTECTION MEASURES

EYE/FACE PROTECTION
SKIN/BODY PROTECTION
RESPIRATORY PROTECTION
GENERAL HYGIENEAvoid contact with eyes.
Wear suitable protective clothing.
Ensure adequate ventilation, especially in confined areas.
Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE Liquid APPERANCE Liquid COLOR Clear ODOR Orange Not determined ODOR THRESHOLD pН 6.00 - 8.00MELTING POINT/FREEZING POINT Not determined **BOILING POINT/BOILING RANGE** Not determined FLASH POINT Not determined

Not determined **EVAPORATION RATE** FLAMMABILITY (SOLID, GAS) Not determined UPPER FLAMMABILITY LIMITS Not determined LOWER FLAMMABILITY LIMITS Not determined VAPOR PRESSURE Not determined SPECIFIC GRAVITY 1.00 **RELATIVE DENSITY** Not determined WATER SOLUBILITY Not determined **PARTITION COEFFICIENT** Not determined **N-OCTANOL/WATER** Not determined **AUTO-IGNITION TEMPERATURE** Not determined **DECOMPOSITION TEMPERATURE** Not determined VISCOSITY Not determined

10. STABILITY AND REACTIVITY

REACTIVITY	Not reactive under normal conditions
CHEMICAL STABILITY	Stable under recommended storage conditions
POSSIBILITY OF HAZARDOUS REACTIONS	None under normal processing
CONDITIONS TO AVOID	Keep out of reach of children
INCOMPATIBLE MATERIALS	None known based on information supplied.
HAZARDOUS DECOMPOSITION PRODUCTS	None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure.

EYE CONTACTCauses severe eye damage.SKIN CONTACTAvoid contact with skin.INHALATIONAvoid breathing vapors or mists.INGESTIONMay be harmful if swallowed.

COMPONENT INFORMATION

CHEMICAL NAME	ORAL LD50	DERMAL LD50	INHALATION LC50
Potassium hydroxide 1310-58-3	= 284 mg/kg (Rat)	-	-
Sodium metasilicate pentahydrate 10213-79-3	= 847 mg/Kg (rat)	-	-
Trisodium Tetrapotassium pyrophosphate 7320-34-5	-	> 4640 mg/kg (Rabbit)	-
SYMPTOMS	Please see section 4 of thi	s SDS for symptoms.	
CARCINOGENICITY		provided, this product does not s listed by OSHA, IARC or NTF	

NUMERICAL MEASURES OF TOXICITY-PRODUCT Not determined.

12. ECOLOGICAL INFORMATION

		ECOTOXICITY	hazardous. possibility th	is not classified as enviro However, this does not ex nat large or frequent spills amaging effect on the en	clude the can have a
CHEMICAL NAME	ALGAE/ AQUATIC PLANTS	FISI		TOXIC TO MICROORGANISMS	CRUSTACEA
Potassium hydroxide 1310-58-3		80: 96 h Gaml mg/L LC5			
Tetrapotassium pyrophosphate 7320-34-5		100: 96 h Ono mykiss mg			100: 48 h water flea mg/L EC50
	PERSISTENCE AN E	BIOACCUMULATI MOB	ON Not dete	ermined	
	Pota	Chemical Name assium hydroxide 1310-58-3	0.65	efficient	
	OTHER /	ADVERSE EFFEC	TS Not dete	ermined	

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

WASTE DISPOSAL

Disposal should be in accordance with applicable regional, national and local laws and regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

CONTAMINATED PACKAGING

CALIFORNIA HAZARDOUS WASTE STATUS CHEMICAL NAME

Potassium hydroxide Toxic 1310-58-3

Corrosive

TRANSPORT INFORMATION 14.

DOT

Not regulated

ΙΑΤΑ

Not regulated

IMDG

Not regulated

15. REGULATORY INFORMATION

INTERNATIONAL INVENTORIES

Chemical Name	TSCA	DSL N	DSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Potassium hydroxide	Present	Х	I	Present		Present	Х	Present	Х	Х
Sodium metasilicate pentahydrate		Х					х		Х	
Tetrapotassium pyrophosphate	Present	Х	I	Present		Present	х	Present	х	х
			LE	EGEND						
		TSC		Jnited Sta nventory	ates Toxic	: Substand	ces Contr	ol Act Sectio	on 8(B)	
		DSL/NDS		Canadian List	Domestic	Substand	ces List/N	Ion-Domesti	c Substar	nces
		EINECS/ELING ENG IECS KEG PICG AIG	CS J SC C CL K CS P	lapan Exi China Invo Korean Ex Philippine	sting and entory of kisting and s Invento	New Che Existing C d Evaluate	mical Sub hemical S d Chemi nicals and	Substances cal Substand d Chemical S	ces	

U.S. FEDERAL REGULATIONS

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chen	nical Name H	lazardous Substances RQ	s CERCLA/SARA	
	um hydroxide 3 10-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
		SARA 313/312 HAZAF		
	nemicals which are subje			SARA). This product contains a e 40 of the Code of Federal
Chemical	Name CA	AS No	Weight-%	SARA 313 - Threshold Values
lsoprop 67-63		7-63-0	1-5	1.0
		CLEAN WATER	ACT (CWA)	
				o the Clean Water Act (40 CFR
122.21 and 40) GFR 122.42)			
Chemical N	,			y Pollutants CWA - Hazardou Substances
	lame CWA - Repo Quantitio	es Pollutant		
Chemical N	lame CWA - Repo Quantitio	es Pollutant	ts	Substances
Chemical N	lame CWA - Repo Quantitie droxide 1000 lb	U.S. STATE REC	GULATIONS	Substances X
Chemical N	lame CWA - Repo Quantitie droxide 1000 lb	es Pollutant	GULATIONS	Substances X
Chemical N Potassium hyd	lame CWA - Repo Quantitie droxide 1000 lb U.S CHEMICAL NAME	U.S. STATE REC	GULATIONS	Substances X
Chemical N Potassium hyd	lame CWA - Repo Quantitie droxide 1000 lb	es Pollutant U.S. STATE REC . STATE RIGHT-TO-KN	GULATIONS	Substances X SUBSTTS PENNSYLVANIA
Chemical N Potassium hyd	lame CWA - Repo Quantitie droxide 1000 lb U.S CHEMICAL NAME Potassium hydroxide	es Pollutant U.S. STATE REC . STATE RIGHT-TO-KN NEW JERS	SEY MASSACH	Substances X S SUSETTS PENNSYLVANIA
Chemical N Potassium hyd	lame CWA - Repo Quantitie droxide 1000 lb U.S CHEMICAL NAME Potassium hydroxide 1310-58-3	es Pollutant U.S. STATE REC . STATE RIGHT-TO-KN NEW JERS X 16. OTHER INF	GULATIONS NOW REGULATIONS SEY MASSACH X ORMATION	Substances X IUSETTS PENNSYLVANIA X
Chemical N Potassium hyd	lame CWA - Repo Quantitie droxide 1000 lb U.S CHEMICAL NAME Potassium hydroxide	es Pollutant U.S. STATE RE(. STATE RIGHT-TO-KN NEW JERS X	SEY MASSACH	Substances X S SUSETTS PENNSYLVANIA
Chemical N Potassium hyd	lame CWA - Repo Quantitie droxide 1000 lb U.S CHEMICAL NAME Potassium hydroxide 1310-58-3 HEALTH HAZARDS	es Pollutant U.S. STATE RE(STATE RIGHT-TO-KN NEW JERS X 16. OTHER INF FLAMMABILITY Not determined	TS GULATIONS NOW REGULATIONS SEY MASSACH X ORMATION INSTABILITY	SPECIAL HAZARDS

DISCLAIMER

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

END OF SAFETY DATA SHEET