ISSUE DATE: July 2022 REVISION DATE: July 2022 VERSION: 1

1. IDENTIFICATION

PRODUCT IDENTIFIER PRODUCT NAME G-FORCE STORM 1

OTHER MEANS OF IDENTIFICATION

SDS Number E-001 UN/ID No UN1760

Product Code

Recommended Uses Machine dishwashing

SDS-SUPPLIER INFORMATION

Beshet Supply

SUPPLIER ADDRESS 3600 West Jarvis Avenue

Skokie, IL 60076

EMERGENCY TELEPHONE NUMBER

COMPANY PHONE NUMBER (847) 679-2600 COMPANY FAX NUMBER

24-HOUR EMERGENCY TELEPHONE (ACCOUNT #8686)

NORTH AMERICA 1-800-633-8253 INTERNATIONAL PERS 1-801-629-0667

2. HAZARDS IDENTIFICATION

CLASSIFICATION

Skin corrosion/irritation Category 1 Sub-Category B
Serious eye damage/eye irritation Category 1

SIGNAL WORD Danger

HAZARD STATEMENTS



HAZARD STATEMENTS 1. Causes severe skin burns and eye damage

APPEARANCE Red Liquid PHYSICAL STATE Liquid

PRECAUTIONARY STATEMENTS

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling PREVENTION

Wear protective gloves/protective clothing/eye protection/face protection

RESPONSE Immediately call poison center or doctor/ physician.

Call POISON CENTER or doctor/ physician if you feel unwell. Rinse **IF SWALLOWED**

mouth. Do NOT induce vomiting.

Rinse cautiously with water for several minutes. Remove contact lenses, if IF IN EYES

present and easy to do. Continue rinsing. Get medical advice/attention.

Remove/Take off immediately all contaminated clothing. Rinse skin with IF ON SKIN/HAIR

water/shower. Wash contaminated clothing before reuse.

IF INHALED Remove victim to fresh air and keep at rest in a position comfortable for

breathing Call a poison center or doctor/physician if you feel unwell.

IF EXPOSED/CONCERNED Get medical advice/ attention.

STORAGE Store locked-up. Keep away from children.

Dispose of contents/container to an approved waste disposal plant. DISPOSAL

HAZARDS NOT OTHERWISE

May be harmful if swallowed. **CLASSIFIED (HNOC)**

OTHER INFORMATION Toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NUMBER	WEIGHT - %
Tetrasodium EDTA	64-02-8	7.5-10
Sodium hydroxide	1310-73-2	7.5-10

FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE Provide this SDS to medical personnel for treatment.

Rinse eyes cautiously with water for several minutes. Remove contact lenses, if **EYE CONTACT**

present and easy to do. Continue rinsing. Immediately call a poison center or

doctor/physician.

Wash skin with plenty of soap and water. If skin irritation occurs: Get medical **SKIN CONTACT**

advice/attention. Take off contaminated clothing and wash it before reuse.

Remove person to fresh air and keep at rest in a position comfortable for **INHALATION**

breathing. Immediately call poison center or doctor/physician.

Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an **INGESTION**

unconscious person. Drink 1-2 glasses of water. Immediate medical attention is

required.

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

POTENTIAL ACUTE HEALTH EFFECTS

Most important symptoms and effects, both acute and delayed

Exposed individuals may experience eye tearing, redness and discomfort.

Contact will cause irritation and redness to exposed areas. May cause irritation to the mucous membranes and upper respiratory tract. May cause burns to mouth, **SYMPTOMS**

esophagus and stomach. Swallowing large quantities may cause gastrointestinal

tract irritation, nausea, vomiting and diarrhea.

NOTES TO PHYSICIAN Treat symptomatically

5. FIRE-FIGHTING MEASURES

Use extinguishing measures that are appropriate to local SUITABLE EXTINGUISHING MEDIA circumstances and the surrounding environment.

UNSUITABLE EXTINGUISHING MEDIA None known

Will react with some metals (e.g. aluminum, tin SPECIFIC HAZARDS ARISING FROM CHEMICAL zinc) to form flammable hydrogen gas.

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/ NIOSH (approved and equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

PERSONAL PRECAUTIONS Use personal protective equipment as required.

Prior permitting may be required before any detergent chemicals can **ENVIRONMENTAL PRECAUTIONS**

be put into city sewers.

METHODS AND MATERIALS FOR CONTAMINATION AND CLEAN-UP

Prevent further leakage or spillage is safe to do so. Dike spill and **CONTAMINATION** collect into closable containers for disposal with an inert absorbent.

CLEAN-UP Flush area with water.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

PROTECTIVE MEASURES

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Do not breathe dust/fume/gas/mist/vapor/spray. Do not eat, drink, or smoke when using this product. Use personal protection recommended in Section 8.

CONDITIONS FOR SAFE STORAGE (INCLUDING ANY INCOMPATIBILITIES)

Keep containers tightly closed in a dry, cool and well-ventilated place. Store

STORAGE CONDITIONS locked up. Protect for freezing. Do not store at temperatures above 120°F.

Do not mix with other chemicals.

INCOMPATIBLE MATERIALS Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide	Ceiling: 2 mg/m3	TWA: 2 mg/m3 (vacated)	IDLH: 10 mg/m3
1310-73-2		Ceiling: 2 mg/m3	Ceiling: 2 mg/m3

ENGINEERING CONTROLS: Apply technical measures to comply with the occupational exposure limits.

INDIVIDUAL PROTECTION MEASURES

EYE/FACE PROTECTION Wear approved safety goggles. **SKIN/BODY PROTECTION** Wear rubber or neoprene gloves.

RESPIRATORY PROTECTION Ensure adequate ventilation, especially in confined areas.

GENERAL HYGIENE Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE Liquid
APPERANCE Red liquid
COLOR Red

ODOR Mild

ODOR THRESHOLD Not determined

H 13.0-14.0

MELTING POINT/FREEZING POINT Not determined BOILING POINT/BOILING RANGE >100° / >212°F

FLASH POINT Not determined

EVAPORATION RATE Not determined **FLAMMABILITY (SOLID, GAS)** N/A - liquid

UPPER FLAMMABILITY LIMITS Not determined LOWER FLAMMABILITY LIMITS Not determined

VAPOR PRESSURE Not determined

SPECIFIC GRAVITY 1.25

RELATIVE DENSITY Not determined
WATER SOLUBILITY Completely soluble
PARTITION COEFFICIENT Not determined
N-OCTANOL/ WATER Not determined

AUTO-IGNITION TEMPERATURE Not determined Not determined

VISCOSITY Not determined

10. STABILITY AND REACTIVITY

REACTIVITY Not reactive under normal conditions

CHEMICAL STABILITY Stable under recommended storage conditions

POSSIBILITY OF HAZARDOUS REACTIONS

CONDITIONS TO AVOID

Keep out of reach of children.

Mixing with other cleaning agents.

INCOMPATIBLE MATERIALS Strong aids.

HAZARDOUS DECOMPOSITION PRODUCTS

When exposed to fire, produces normal products of

combustion.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure.

SKIN CONTACT Avoid contact with skin.

INHALATION Avoid breathing vapors or mists. **INGESTION** May be harmful if swallowed.

COMPONENT INFORMATION

CHEMICAL NAME	ORAL LD50	DERMAL LD50	INHALATION LC50
Sodium hydroxide 1310-73-2	-	1350 mg/kg (Rabbit)	-
Tetrasodium EDTA 64-02-8	= 10g/kg (Rat)	-	-
	SYMPTOMS	Please see section 4 of this	SDS for symptoms.
	CARCINOGENITY	This product does not conta potential carcinogens as liste NTP.	

NUMERICAL MEASURES OF TOXICITY-PRODUCT Not determined.

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 2441 mg/kg ATEmix (dermal) 6593 mg/kg

12. ECOLOGICAL INFORMATION

ECOTOXICITY Toxic to aquatic organisms. Toxic to aquatic life with long lasting effects.

CHEMICAL NAME	ALGAE/ AQUATIC PLANTS	FISH	TOXIC TO MICROORGANISMS	CRUSTACEA
Sodium hydroxide 1310-73-2	-	45,4: 96 h Oncorhynchus mykiss mg/l LC50 static	-	-
Tetrasodium EDTA	1.01: 72 h Desmodesmus	41: 96 h Lepomis macrochirus mg/L LC50	_	610: 24 h Daphnia
64-02-8	subspicatus mg/L EC50	static 59.8: 96 h Pimephales promelas mg/L LC50 static		magna mg/L EC50

PERSISTENCE AND DEGRADABILITY Not determined

BIOACCUMULATION Not determined

MOBILITY Not determined

OTHER ADVERSE EFFECTS Not determined

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

WASTE DISPOSAL Disposal should be in accordance with applicable regional,

national and local laws and regulations.

CONTAMINATED PACKAGING

Disposal should be in accordance with applicable regional,

national and local laws and regulations.

CHEMICAL NAME CALIFORNIA HAZARDOUS WASTE STATUS

Sodium hydroxide Toxic 1310-73-2 Corrosive

14. TRANSPORT INFORMATION

DOT

UN/ID No UN1760

Proper shipping name Corrosive liquid, n.o.s. (Sodium hydroxide)

Hazard Class 8
Packing Group ||

Reportable Quantity (RQ) Sodium hydroxide 1000 lbs

IATA

UN/ID No UN1760

Proper shipping name Corrosive liquid, n.o.s. (Sodium hydroxide)

Hazard Class 8
Packing Group ||

Reportable Quantity (RQ) Sodium hydroxide 1000 lbs

IMDG

UN/ID No UN1760

Proper shipping name Corrosive liquid, n.o.s. (Sodium hydroxide)

Hazard Class 8
Packing Group ||

Reportable Quantity (RQ) Sodium hydroxide 1000 lbs

15. REGULATORY INFORMATION

INTERNATIONAL INVENTORIES

LEGEND

TSCA United States Toxic Substances Control Act Section 8(B)

Inventory

DSL/NDSL Canadian Domestic Substances List/Non-Domestic Substances

List

EINECS/ELINCS European Inventory of Existing/Notified Chemical Substances

ENCS Japan Existing and New Chemical SubstancesIECSC China Inventory of Existing Chemical SubstancesKECL Korean Existing and Evaluated Chemical Substances

PICCS Philippines Inventory of Chemicals and Chemical Substances

U.S. FEDERAL REGULATIONS

SARA 311/312 HAZARD CATEGORIES

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb			X

Chemical Name

Hazardous Substanced RQs

CERCLA/SARA RQ

Reportable Quantity (RQ)

RQ 1000 lb final RQ
RQ 454 Final RQ

U.S. STATE REGULATIONS

U.S. STATE RIGHT-TO-KNOW REGULATIONS

CHEMICAL NAME	NEW JERSEY	MASSACHUSETTS	PENNSYLVANIA
Sodium hydroxide 1310-73-2	X	X	x

16. OTHER INFORMATION				
NFPA	HEALTH HAZARDS	FLAMMABILITY	INSTABILITY	SPECIAL HAZARDS
NFFA	Not determined	Not determined	Not determined	Not determined
LIMIC	HEALTH HAZARDS	FLAMMABILITY	PHYSICAL HAZARDS	PERSONAL PROTECTION
HMIS	Not determined	Not determined	Not determined	Not determined

DISCLAIMER

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

END OF SAFETY DATA SHEET