ISSUE DATE: September 2013 REVISION DATE: August 2022 VERSION: 1

## 1. IDENTIFICATION

#### PRODUCT IDENTIFIER

**PRODUCT NAME** G-Force BUBBLE 43

#### OTHER MEANS OF IDENTIFICATION

**Product Number** 

Recommended Uses All Purpose Cleaner

#### **SDS-SUPPLIER INFORMATION**

**Beshet Supply** 

SUPPLIER ADDRESS 3600 West Jarvis Avenue

Skokie, II 60076

#### **EMERGENCY TELEPHONE NUMBER**

**COMPANY PHONE NUMBER** (847) 679-2600

**COMPANY FAX NUMBER** 

24-HOUR EMERGENCY TELEPHONE (ACCOUNT #8686)

**NORTH AMERICA** 1-800-633-8253

INTERNATIONAL PERS 1-801-629-0667

## 2. HAZARDS IDENTIFICATION

### **CLASSIFICATION**

Acute Toxicity - Oral Category 4

Acute Toxicity - Inhalation (Dusts/Mists) Category 4

Skin Corrosion/Irritation Category 2

Serious Eye Damage/Eye Irritation Category 2

Corrosive to Metals Category 3

SIGNAL WORD Warning

#### **HAZARD STATEMENTS**



**HAZARD STATEMENTS** 

- 1. Causes skin irritation
- 2. Causes serious eye damage
- 3. Suspected of causing cancer

APPEARANCE Transparent PHYSICAL STATE Liquid

PRECAUTIONARY STATEMENTS

Obtain special instructions before use

PREVENTION Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

**RESPONSE** Immediately call poison center or doctor/ physician.

IF SWALLOWED Call POISON CENTER or doctor/ physician if you feel unwell. Rinse

mouth. Do NOT induce vomiting.

Rinse cautiously with water for several minutes. Remove contact lenses, if

IF IN EYES present and easy to do. Continue rinsing If eye irritation persists: Get

medical advice/attention.

Wash with plenty of soap and water. If skin irritation occurs: Get medical

advice/attention Take off contaminated clothing and wash it before reuse.

IF INHALED Remove victim to fresh air and keep at rest in a position comfortable for

breathing Call a poison center or doctor/physician if you feel unwell.

**IF EXPOSED/CONCERNED** Get medical advice/ attention.

**STORAGE** Store locked-up. Keep away from children.

**DISPOSAL** Dispose of contents/container to an approved waste disposal plant.

HAZARDS NOT OTHERWISE

CLASSIFIED (HNOC)

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAMECAS NUMBERWEIGHT - %Hydrogen Peroxide7722-84-11-10

### 4. FIRST-AID MEASURES

#### **DESCRIPTION OF FIRST AID MEASURES**

**GENERAL ADVICE** Provide this SDS to medical personnel for treatment.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

EYE CONTACT lenses, if present and easy to do. Continue rinsing. Immediately call a poison

center or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get

**SKIN CONTACT** medical advice/attention. Take off contaminated clothing and wash it before

reuse.

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

Remove person to fresh air and keep at rest in a position comfortable for

breathing. Immediately call poison center or doctor/ physician.

Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an

INGESTION unconscious person. Drink 1-2 glasses of water. Immediate medical attention is

required.

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

#### POTENTIAL ACUTE HEALTH EFFECTS

Most important symptoms and effects, both acute and delayed

**SYMPTOMS** Causes severe skin burns and eye damage.

**NOTES TO PHYSICIAN** Treat symptomatically

## 5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**UNSUITABLE EXTINGUISHING MEDIA** Use of water spray when fighting fire may be inefficient.

SPECIFIC HAZARDS ARISING FROM CHEMICAL

SPECIFIC HAZARDS ARISING FROM CHEMICAL

Oxidizing agent. Contact with flammable liquids or vapors may cause immediate fire or explosion, especially is heated, or it may result in delayed explosion. Decomposition will release oxygen, which will increase the explosive limits and burning rate of flammable vapors.

### PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/ NIOSH (approved and equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

**PERSONAL PRECAUTIONS** Use personal protective equipment as required. **ENVIRONMENTAL PRECAUTIONS** See Section 12 for additional Ecological Information.

## METHODS AND MATERIALS FOR CONTAMINATION AND CLEAN-UP

**CONTAMINATION** Prevent further leakage or spillage is safe to do so **CLEAN-UP** Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

#### PRECAUTIONS FOR SAFE HANDLING

**PROTECTIVE MEASURES** 

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Do not breathe dust/fume/gas/mist/vapor/ spray. Do not eat, drink, or smoke when using this product. Use personal protection recommended in Section 8.

### CONDITIONS FOR SAFE STORAGE (INCLUDING ANY INCOMPATIBILITIES)

Keep containers tightly closed in a dry, cool and well-ventilated place. Store STORAGE CONDITIONS

locked up.

**INCOMPATIBLE MATERIALS** Reducing agents, combustible materials, organic materials, metals,

cyanides, acids.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **EXPOSURE GUIDELINES**

**OSHA PEL NIOSH IDLH Chemical Name ACGIH TLV** Hydrogen Peroxide TWA: 1 ppm TWA: 1 ppm IDLH: 75 mg/m3 7722-84-1 TWA: 1.4 mg/m3 TWA: 1 ppm TWA: 1.4 mg/m3

**ENGINEERING CONTROLS:** Apply technical measures to comply with the occupational exposure limits.

#### INDIVIDUAL PROTECTION MEASURES

**EYE/FACE PROTECTION** Refer to 29 CFR 1910.133 for eye and face protection regulations. Refer to 29 CFR 1910.138 for appropriate skin and body protection. SKIN/BODY PROTECTION RESPIRATORY PROTECTION Refer to 29 CFR 1910.134 for respiratory protection requirements. **GENERAL HYGIENE** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE Liquid **APPERANCE Transparent** 

COLOR Colorless **ODOR** Citrus

ODOR THRESHOLD Not determined

2.25

**MELTING POINT/FREEZING POINT** Not determined **BOILING POINT/BOILING RANGE** 100°C / 212°F

> **FLASH POINT** Not determined

**EVAPORATION RATE** >1

FLAMMABILITY (SOLID, GAS) Not determined Not determined **UPPER FLAMMABILITY LIMITS** LOWER FLAMMABILITY LIMITS Not determined

> **VAPOR PRESSURE** 17 .62 **SPECIFIC GRAVITY RELATIVE DENSITY** 1.02

Not determined WATER SOLUBILITY **PARTITION COEFFICIENT** Not determined

**N-OCTANOL/ WATER** Not determined

**AUTO-IGNITION TEMPERATURE** Not determined **DECOMPOSITION TEMPERATURE** Not determined

VISCOSITY OXIDIZING PPROPERTIES

Not determined

These substances will accelerate burning when

involved in a fire.

## 10. STABILITY AND REACTIVITY

**REACTIVITY** Not reactive under normal conditions

**CHEMICAL STABILITY** Stable under recommended storage conditions

POSSIBILITY OF HAZARDOUS REACTIONS None under normal processing

CONDITIONS TO AVOID Keep out of reach of children. Extremes of

temperature and direct sunlight.

INCOMPATIBLE MATERIALS Reducing agents, combustible materials, organic

materials, metals, cyanides, acids

HAZARDOUS DECOMPOSITION PRODUCTS Releases oxygen gas, which in a confined space will

increase explosive limits.

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure.

EYE CONTACT
SKIN CONTACT
INHALATION
Avoid breathing vapors or mists.

**INGESTION** May be harmful if swallowed.

### **COMPONENT INFORMATION**

CHEMICAL NAME	ORAL LD50	DERMAL LD50	INHALATION LC50
Hydrogen Peroxide	= 801 mL/kg ( Rat )	= 2000 mg/kg ( Rabbit )	= 2 g/m3 ( Rat ) 4 h
7722-84-1		= 4060 mg/kg ( Rat )	

**SYMPTOMS** Please see section 4 of this SDS for symptoms.

**CARCINOGENICITY** This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

### **NUMERICAL MEASURES OF TOXICITY-PRODUCT**

**Unknown Acute Toxicity** 93.2% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 908 mg/kg
ATEmix (dermal) 2267 mg/kg
ATEmix (inhalation-dust/mist) 2 mg/l

## 12. ECOLOGICAL INFORMATION

**ECOTOXICITY** 

Harmful to aquatic life with long lasting effects.

Harmful to aquatic life.

CHEMICAL NAME	ALGAE/ AQUATIC PLANTS	FISH	TOXIC TO MICROORGANISMS	CRUSTACEA
Hydrogen Peroxide <b>7722-84-1</b>	2.5: 72 h Chlorella vulgaris mg/L EC50	16.4: 96 h Pimephales promelas mg/L LC50 18-56: 96 h Lepomis macrochirus mg/L LC50 Static 10.0-32.0: 96 h Oncorhynchus mykiss mg/L LC50 static	-	18-32 48 h Daphnia magna mg/L EC50 static 7.7: 24 h Daphnia magna mg/L EC50

PERSISTENCE AND DEGRADABILITY Not determined BIOACCUMULATION Not determined OTHER ADVERSE EFFECTS Not determined

## 13. DISPOSAL CONSIDERATIONS

#### **WASTE TREATMENT METHODS**

WASTE DISPOSAL Disposal should be in accordance with applicable regional,

national and local laws and regulations.

CONTAMINATED PACKAGING Disposal should be in accordance with applicable regional,

national and local laws and regulations.

#### CHEMICAL NAME CALIFORNIA HAZARDOUS WASTE STATUS

Toxic

Hydrogen Peroxide Corrosive

**7722-84-1** Ignitable

Reactive

## 14. TRANSPORT INFORMATION

DOT

Not regulated

IATA

Not regulated

**IMDG** 

Not regulated

## 15. REGULATORY INFORMATION

INTERNATIONAL INVENTORIES		
Not deternined		
LEGEND		
TSCA	United States Toxic Substances Control Act Section 8(B)	
	Inventory	
DSL/NDSL	Canadian Domestic Substances List/Non-Domestic Substances List	
	European Inventory of Existing/Notified Chemical Substances	
ENCS	Japan Existing and New Chemical Substances	
IECSC KECL	China Inventory of Existing Chemical Substances Korean Existing and Evaluated Chemical Substances	

### **U.S. FEDERAL REGULATIONS**

**PICCS** Philippines Inventory of Chemicals and Chemical Substances

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrogen Peroxide	-	1000 lb	<u>-</u>
7722-84-1			

## **SARA 313/312 HAZARD CATEGORIES**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### **CLEAN WATER ACT (CWA)**

This product does not contain any substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **U.S. STATE REGULATIONS**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### **U.S. STATE RIGHT-TO-KNOW REGULATIONS**

CHEMICAL NAME	<b>NEW JERSEY</b>	MASSACHUSETTS	PENNSYLVANIA
Hydrogen Peroxide	X	X	X

16. OTHER INFORMATION				
NFPA	HEALTH HAZARDS	FLAMMABILITY Not determined	INSTABILITY Not determined	SPECIAL HAZARDS OX
HMIS	HEALTH HAZARDS	FLAMMABILITY Not determined	PHYSICAL HAZARDS  Not determined	PERSONAL PROTECTION X

# **DISCLAIMER**

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## **END OF SAFETY DATA SHEET**